

Imprimante USB to Virtual COM Port

Étape 1 : Téléchargement des pilotes

- Les drivers standards et l'installation du virtual COM port se trouvent ici : [Support Epson TM-T88V](#)
- **Consigne importante :** Installer le driver de l'imprimante et la configurer en USB en lui donnant un **nom distinct** (ne pas utiliser *Receipt* ou *Kitchen*).

The screenshot shows a web browser window with the URL epson.ca/Support/Point-of-Sale/Thermal-Printers/Epson-TM-T88V-Series/s/SPT_C31CA85011?review-filter=Windows+10+64-bit. The page lists several drivers for download:

Driver Name	Release Date	Size	File Name	Action
Epson TM Virtual Port Driver v8.70c +	02/10/25	16.8 MB	TMVirtualPortDriver870c.exe	Download
TMUSB Device Driver v800d +	02/08/24	2.33 MB	TMUSB800d.exe	Download
JavaPOS ADK v1.14.30W +	17/06/24	44.8 MB	Epson_JavaPOS_ADK_11430_x64.exe	Download
Epson OPOS ADK for .NET v1.14.29E +	30/11/23	80.1 MB	OPOSN1.14.29.exe	Download
Epson OPOS ADK for .NET v1.12.31E +	30/11/23	37.6 MB	OPOSN1.12.31.exe	Download
Advanced Printer Driver v4.59a +	14/11/23	83.6 MB	APD_459aEWM_e.exe	Download

Red arrows in the original image point to the 'Download' buttons for the 'Epson TM Virtual Port Driver v8.70c' and 'Advanced Printer Driver v4.59a'.

EPSON Advanced Printer Driver 4 - InstallShield Wizard



Welcome

Change or delete APD4, or create a silent installer for APD4.

Welcome to the EPSON Advanced Printer Driver 4 Setup Maintenance program. This program allows you to change the current installation. Click one of the options below.

☐ Silent



Create a silent installation script file using the settings from the previous installation.

☒ Custom



Select new program features to add or select currently installed features to delete.

☐ Uninstall



Delete all installed features.

InstallShield

< Back

Next >

Cancel

Printer Configuration

Change the printer settings.

Select a printer to configure. If the desired printer is not in the list, please add the printer.

(Installed) Receipt-usb - Default

Add

Edit

Delete

Copy

☐ Enable Plug & Play installation for all printer models.

InstallShield

< Back

Next >

Cancel

Add Printer

Settings for the printer being added

Specify the printer to be added.

Select driver: EPSON TM-T88V Receipt ▾

Printer name: Receipt_USB

Port Type: Create a USB port ▾

☐ Set as Default Printer

Note: Steps for connecting a customer display to the printer

1. Add the device by connecting it to the PC directly.


2. Add the other device. Select the device to be connected in "Communication".

InstallShield

< Back

Next >

Cancel



Étape 2 : Installation du port virtuel

- Installer **Epson TM Virtual Port Driver**.

Étape 3 : Assignation du port

- Ouvrez l'application "**Epson TM Virtual Port Assignment**".
- Appuyez sur le port que vous voulez utiliser, choisissez l'imprimante et faites **OK**.


Port No.	Port Name	Port ID	Assign Port
COM1			
COM2			
COM3			
COM4			
COM5			
COM6			
COM7			
COM8			
COM9			
COM10			
COM11			
COM12			
COM13			
COM14			
COM15			
COM16			
COM17			
COM18			
COM19			
COM20			
COM21			
COM22			
COM23			
COM24			

Test Print

Assign Port

Delete Port

Exit



Revision #4

Created 2026-06-01 12:37:11 UTC by simon

Updated 2026-06-01 13:05:45 UTC by simon